	Application No.	Applicant(s)
Notice of Allowability	10/764,514	OKAZAKI, TADAHIRO
	Examiner	Art Unit
		2002
	Johannes P. Mondt	3663
The MAILING DATE of this communication appeal all claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this ap or other appropriate communicatio (GHTS. This application is subject t	oplication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>9/29/05</u> .		
2. The allowed claim(s) is/are 1-4 and 6-17.		
3. ☑ Acknowledgment is made of a claim for foreign priority ur a) ☑ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:		
· · · · · · · · · · · · · · · · · · ·		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	NATHAM FLYNM SUPERVISORY FATER TECHNOLOGY CONTECT	AZINER 2600
Attachment(s)		
1. Notice of References Cited (PTO-892)	<ol><li>Notice of Informal F</li></ol>	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6.  Interview Summary Paper No./Mail Da	
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date <u>7/25/05</u></li> </ol>	8), 7. Examiner's Amendi	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
	9.	

Application/Control Number: 10/764,514

Art Unit: 3663

`

## **DETAILED ACTION**

## Response to Amendment

Amendment filed 9/29/05 forms the basis for this office action.

## Information Disclosure Statement

The examiner has considered the items listed on the Information Disclosure Statement filed 7/25/05. A signed copy of Form PTO-1449 is herewith enclosed.

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance: claims 1-4 and 6-17 are allowed.

Within the context of the invention as defined by claims 1, 12 and 15 neither the average particle size of the blue color light emitting fluorescent material, nor the average particle size of the red color light emitting fluorescent material nor the average particle size of the green color light emitting fluorescent material have been found in the art, sizes being substantially distanced from the claimed ranges. Neither has art been found that would render the claimed ranges for the average particles sizes as claimed obvious. Particle size influences cross section and hence light output.

In addition to Jüstel (6,084,250) and references supplementing Jüstel as cited in the previous office action, Maeda et al (US 2004/0104391 A1) is closely related art. However, Maeda et al do not teach blue, green and red converting layers in the claimed order, nor a claimed range for the red or green color converting layer material particles overlapping with the ranges as claimed.

Page 3

Application/Control Number: 10/764,514

Art Unit: 3663

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Johannes P. Mondt whose telephone number is 571-272-1919. The examiner can normally be reached on 8:00 - 18:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack W. Keith can be reached on 571-272-6878. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JPM February 9, 2005